

Publications of George C. McBane

BOOKS

- [1] Arthur M. Halpern and George C. McBane. *Experimental Physical Chemistry: A Laboratory Textbook*. W. H. Freeman, New York, 3rd edition, 2006.

JOURNAL ARTICLES

- [45] Stephanie Schaertel, Esabella R. Powers, Theodore Schultz, and George C. McBane. Internal temperature determination for laser noise cancellers. *J. Quant. Spectrosc. Rad. Transfer*, 306:108639, 2023. doi: 10.1016/j.jqsrt.2023.108639.
- [44] Megan N. Aardema, George C. McBane, and Simon W. North. Ozone photodissociation in the singlet channel at 226 nm. *J. Phys. Chem. A*, 126(39):6898–6907, 2022. doi: 10.1021/acs.jpca.2c04832.
- [43] George C. McBane. SIR (Susceptible-Infectious-Removed) model of epidemiology as an extended example for chemical kinetics students. *J. Chem. Educ.*, 98(9):2906–2911, 2021. doi: 10.1021/acs.jchemed.1c00195.
- [42] George C. McBane. [Rp] Reproduction of interaction second virial coefficient calculation for H₂–CO interactions [J. Chem. Phys. vol. 112, 4417 (2000)]. *Re-Science C*, 6(1):#1, January 2020. doi: 10.5281/zenodo.3630224.
- [41] Zhong-Fa Sun, Chandan Bishwakarma, Lei Song, Ad van der Avoird, Marc van Hemert, George C. McBane, Arthur Suits, and David Parker. Imaging inelastic scattering of CO with argon: polarization dependent differential cross sections. *Phys. Chem. Chem. Phys.*, 21:9200–9211, 2019. doi: 10.1039/C9CP00876D.
- [40] Colin J. Wallace, Carolyn E. Gunthardt, George C. McBane, and Simon W. North. Empirical assignment of absorbing electronic state contributions to OCS photodissociation product state populations from 214 to 248 nm. *Chem. Phys.*, 520:1–7, 2019. doi: 10.1016/j.chemphys.2018.12.005.
- [39] Michelle L. Warter, Carolyn E. Gunthardt, Wei Wei, George C. McBane, and Simon W. North. Nascent O₂ ($a^1\Delta_g$, $\nu = 0, 1$) rotational distributions from the photodissociation of jet-cooled O₃ in the Hartley band. *J. Chem. Phys.*, 149(13):134309, 2018. doi: 10.1063/1.5051540.
- [38] George C. McBane, Christian Cannella, and Stephanie Schaertel. A low-cost time-resolved spectrometer for the study of ruby emission. *J. Chem. Educ.*, 95(1):173–177, 2018. doi: 10.1021/acs.jchemed.7b00438.

- [37] Wei Wei, Colin J. Wallace, George C. McBane, and Simon W. North. Photodissociation dynamics of OCS near 214 nm using ion imaging. *J. Chem. Phys.*, 145(2):024310, 2016. DOI: 10.1063/1.4955189.
- [36] George C. McBane. A three-dimensional He–CO potential energy surface with improved long-range behavior. *J. Mol. Spectrosc.*, 330:211–216, 2016. DOI: 10.1016/j.jms.2016.06.004.
- [35] M.-L. Dubernet, M. H. Alexander, Y. A. Ba, N. Balakrishnan, C. Balança, C. Ceccarelli, J. Cernicharo, F. Daniel, F. Dayou, M. Doronin, F. Dumouchel, A. Faure, N. Feautrier, D. R. Flower, F. Lique, A. Grosjean, P. Halvick, J. Kłos, G. C. McBane, S. Marinakis, N. Moreau, R. Moszynski, D. A. Neufeld, E. Roueff, P. Schilke, A. Spielfiedel, P. C. Stancil, T. Stoecklin, J. Tennyson, B. Yang, A.-M. Vasserot, and L. Wiesenfeld. BASECOL2012: a collisional database repository and web service within the Virtual Atomic and Molecular Data Centre (VAMDC). *Astron. Astrophys.*, 553:A50, 2013. DOI: 10.1051/0004-6361/201220630.
- [34] G. C. McBane, J. A. Schmidt, M. S. Johnson, and R. Schinke. Ultraviolet photodissociation of OCS: product energy and angular distributions. *J. Chem. Phys.*, 138(9):094314, 2013. DOI: 10.1063/1.4793275.
- [33] J. A. Schmidt, M. S. Johnson, G. C. McBane, and R. Schinke. The ultraviolet spectrum of OCS from first principles: electronic transitions, vibrational structure and temperature dependence. *J. Chem. Phys.*, 137(5):054313, 2012. DOI: 10.1063/1.4739756.
- [32] J. A. Schmidt, M. S. Johnson, G. C. McBane, and R. Schinke. Multi-state analysis of the OCS ultraviolet absorption including vibrational structure. *J. Chem. Phys.*, 136(13):131101, 2012. DOI: 10.1063/1.3701699.
- [31] George C. McBane and Reinhard Schinke. Product angular distributions in the ultraviolet photodissociation of N₂O. *J. Chem. Phys.*, 136(4):044314, 2012. DOI: 10.1063/1.3679171.
- [30] J. A. Schmidt, M. S. Johnson, U. Lorenz, G. C. McBane, and R. Schinke. Photodissociation of N₂O: Energy partitioning. *J. Chem. Phys.*, 135(2):024311, 2011. DOI: 10.1063/1.3602324.
- [29] George C. McBane, Luan T. Nguyen, and Reinhard Schinke. Photodissociation of ozone in the Hartley band: product state and angular distributions. *J. Chem. Phys.*, 133(14):144312, 2010. DOI: 10.1063/1.3491813.

- [28] C.-H. Yang, G. Sarma, J. J. ter Meulen, D. H. Parker, G. C. McBane, L. Wiesenfeld, A. Faure, Y. Scribano, and N. Feautrier. Mapping water collisions for interstellar space conditions. *J. Chem. Phys.*, 133(13):131103, 2010. doi: 10.1063/1.3475517.
- [27] Brian A. Stewart, Troy N. Stephens, Barbara Lawrence, and George C. McBane. Rovibrational energy transfer in Ne–Li₂($A^1\Sigma_u^+$, $v = 0$): comparison of experimental data and results from classical and quantum calculations. *J. Phys. Chem. A*, 114(36):9875–9885, 2010. doi: 10.1021/jp103504a.
- [26] R. Schinke and G. C. McBane. Photodissociation of ozone in the Hartley band: potential energy surfaces, nonadiabatic couplings, and singlet/triplet branching ratio. *J. Chem. Phys.*, 132(4):044305, 2010. doi: 10.1063/1.3299249.
- [25] Ashok K. Dham, George C. McBane, Frederick R. W. McCourt, and William J. Meath. An exchange–Coulomb model potential energy surface for the Ne–CO interaction. II. Molecular beam scattering and bulk gas phenomena in Ne–CO mixtures. *J. Chem. Phys.*, 132(2):024308, 2010. doi: 10.1063/1.3285721.
- [24] P. Defazio, C. Petrongolo, G. C. McBane, L. Adam, W. Hack, S. Akpinar, and R. Schinke. Relaxation of NH($a^1\Delta$, $v = 1$) in collision with H(2S): an experimental and theoretical study. *J. Phys. Chem. A*, 113(52):14458–14464, 2009. doi: 10.1021/jp903839p.
- [23] R. Schinke, G. C. McBane, L. Shen, P. C. Singh, and A. G. Suits. Production of O₂ Herzberg states in the deep UV photodissociation of ozone. *J. Chem. Phys.*, 131:011101, 2009. doi: 10.1063/1.3157236.
- [22] H. Ueta, I. M. N. Groot, M. A. Gleeson, S. Stolte, G. C. McBane, L. B. F. Juurlink, and A. W. Kleyn. CO blocking of D₂ dissociative adsorption on Ru(0001). *ChemPhysChem*, 9(16):2372–2378, 2008. doi: 10.1002/cphc.200800294.
- [21] M. V. Ivanov, R. Schinke, and G. C. McBane. Theoretical investigation of vibrational relaxation of NO($^2\Pi$), O₂($^3\Sigma_g^-$), and N₂($^1\Sigma_g^+$) in collisions with O(3P). *Mol. Phys.*, 105(9):1183–1191, 2007. doi: 10.1080/00268970701288087.
- [20] L. Adam, W. Hack, G. C. McBane, H. Zhu, Z.-W. Qu, and R. Schinke. Exploring Renner-Teller induced quenching in the reaction H(2S) + NH($a^1\Delta$): A combined experimental and theoretical study. *J. Chem. Phys.*, 126(3):034304, 2007. doi: 10.1063/1.2409926.

- [19] George C. McBane. Programs to compute distribution functions and critical values for extreme value ratios for outlier detection. *Journal of Statistical Software*, 16(3):1–9, 2006. DOI: 10.18637/jss.v016.i03.
- [18] Kirk A. Peterson and George C. McBane. A hierarchical family of three dimensional potential energy surfaces for He–CO. *J. Chem. Phys.*, 123(8):084314, 2005. DOI: 10.1063/1.2203608. (Erratum in *J. Chem. Phys.*, 124(22):229901, 2006.)
- [17] David A. Hostutler, Tony C. Smith, Gordon D. Hager, George C. McBane, and Michael C. Heaven. State to state rotational relaxation rate constants for CO+Ne from IR-IR double-resonance experiments: Comparing theory to experiment. *J. Chem. Phys.*, 120(16):7483–7489, 2004. DOI: 10.1063/1.1687314.
- [16] Tony C. Smith, David A. Hostutler, Gordon D. Hager, Michael C. Heaven, and George C. McBane. State-to-state rotational rate constants for CO+He: infrared double resonance measurements and simulation of the data using the SAPT theoretical potential energy surface. *J. Chem. Phys.*, 120(5):2285–2295, 2004. DOI: 10.1063/1.1637341.
- [15] K. Thomas Lorenz, David W. Chandler, and George C. McBane. State-to-state differential cross sections by velocity mapping for rotational excitation of CO by Ne. *J. Phys. Chem. A*, 106:1144–1151, 2002. DOI: 10.1021/jp013441t.
- [14] J. Gottfried and George C. McBane. Interaction second virial coefficients from a recent H₂–CO potential energy surface. *J. Chem. Phys.*, 112:4417–4418, 2000. DOI: 10.1063/1.480989.
- [13] Stilianna Antonova, Antonis P. Tsakotellis, Ao Lin, and George C. McBane. State to state rotational excitation of CO by H₂ near 1000 cm⁻¹ collision energy. *J. Chem. Phys.*, 112:554–559, 2000. DOI: 10.1063/1.480547.
- [12] Stilianna Antonova, Ao Lin, Antonis P. Tsakotellis, and George C. McBane. State to state Ne–CO rotationally inelastic scattering. *J. Chem. Phys.*, 110:11742–11748, 1999. DOI: 10.1063/1.479119.
- [11] George C. McBane and Sławomir M. Cybulski. An *ab initio* potential energy surface for Ne–CO. *J. Chem. Phys.*, 110:11734–11741, 1999. DOI: 10.1063/1.479118.
- [10] Ao Lin, Stilianna Antonova, Antonis P. Tsakotellis, and George C. McBane. A doublet propensities in Ar–NO rotationally inelastic scattering at 220 meV. *J. Phys. Chem. A*, 103:1198–1205, 1999. DOI: 10.1021/jp984119u.

- [9] Stiliana Antonova, Ao Lin, Antonis P. Tsakotellis, and George C. McBane. State to state He–CO rotationally inelastic scattering. *J. Chem. Phys.*, 110(5):2384–2390, 1999. DOI: 10.1063/1.477943.
- [8] George C. McBane. Chemistry from telephone numbers: the false isokinetic relationship. *J. Chem. Educ.*, 75:919–922, 1998. DOI: 10.1021/ed075p919.
- [7] Fei Luo, George C. McBane, Geunsik Kim, Clayton F. Giese, and W. Ronald Gentry. Response to “Comment on ‘The weakest bond: experimental observation of the helium dimer’”. *J. Chem. Phys.*, 100:4023, 1994. DOI: 10.1063/1.466339.
- [6] Fei Luo, Geunsik Kim, George C. McBane, Clayton F. Giese, and W. Ronald Gentry. Influence of retardation on the vibrational wavefunction and binding energy of helium dimer. *J. Chem. Phys.*, 98:9687, 1993. DOI: 10.1063/1.464347.
- [5] Fei Luo, George C. McBane, Geunsik Kim, Clayton F. Giese, and W. Ronald Gentry. The weakest bond: experimental observation of the helium dimer. *J. Chem. Phys.*, 98:3564–3567, 1993. DOI: 10.1063/1.464079.
- [4] George C. McBane, Gregory E. Hall, Itamar Burak, and Paul L. Houston. The S(¹D) + N₂ quenching process: determination of the branching ratios to triplet fine structure products. *J. Phys. Chem.*, 96:753, 1992. DOI: 10.1021/j100181a042.
- [3] George C. McBane, Scott H. Kable, Paul L. Houston, and George C. Schatz. Collisional excitation of CO by 2.3 eV H atoms. *J. Chem. Phys.*, 94:1141–1149, 1991. DOI: 10.1063/1.460020.
- [2] C. E. Strauss, G. C. McBane, P. L. Houston, I. Burak, and J. W. Hepburn. The 157 nm photodissociation of OCS. *J. Chem. Phys.*, 90:5364–5372, 1989. DOI: 10.1063/1.456443.
- [1] G. K. Chawla, G. C. McBane, P. L. Houston, and G. C. Schatz. State-selective studies of T → R, V energy transfer: the H+CO system. *J. Chem. Phys.*, 88:5481–5488, 1988. DOI: 10.1063/1.454559.

EDITORIALS AND COMMENTARIES

- [1] George C. McBane. A plea for the abandonment of the atmosphere as a unit in gas law instruction. *J. Chem. Educ.*, 86(1):17–18, 2009. DOI: 10.1021/ed086p17.

BOOK CHAPTERS AND CONFERENCE PROCEEDINGS

- [4] Kurt A. O'Hearn, Christian Trefftz, George C. McBane, and Gregory Wolffe. Accelerating the computation and verification of molecular collision models: a case study in legacy code parallelization. In Hamid R. Arabnia, editor, *Proceedings of the 2011 International Conference on Parallel and Distributed Processing Techniques and Applications*, pages 391–396, Las Vegas, Nevada. CSREA Press, July 2011. ISBN 1-60132-195-3.
- [3] David A. Hostutler, Tony C. Smith, Gordon D. Hager, George C. McBane, and Michael C. Heaven. State-to-state rotational relaxation rate constants for the CO+X series (X=CO, He, and Ne) using IR-IR double resonance experiments: comparing theory to experiment. In Claude R. Phipps, editor, *High-Power Laser Ablation V*, volume 5448 of number 1 in *Proceedings of SPIE*, pages 906–917, Taos, NM, USA, 2004. URL: <http://link.aip.org/link/?PSI/5448/906/1>.
- [2] George C. McBane. Simulation and analysis of image data from crossed beam experiments. In Arthur G. Suits and Robert E. Continetti, editors, *Imaging in Chemical Dynamics*. ACS Books, Washington, D. C., 2000.
- [1] Stilianna Antonova, Ao Lin, Antonis Tsakotellis, and George C. McBane. Lambda-doublet propensities in Ar–NO rotationally inelastic scattering at 212 meV. In John W. Hepburn, Robert E. Continetti, and Mark A. Johnson, editors, *Laser Techniques for State-Selected and State-to-State Chemistry IV*, volume 3271 of *Proceedings of SPIE*, pages 169–176, 1998.

OTHER PUBLICATIONS

- [1] George C. McBane. Newton on the ball: the flaws of the 90-degree rule. *Billiards Digest*:14–15, February 2001.